



GOLSAR

SANITARYWARE




الانانت | ELEGANT

ONE PIECE TOILET

Technical Information (mm)

S Trap: 250

Outlet Diameter: 100



Rim Type: Rimless- Closed



Flushing System: Washdown



Soft Closing Door



Glazing Trap



Resistant to loads up to 400 kg



EN-997 Standard






وینر | WINNER

ONE PIECE TOILET

Technical Information (mm)

S Trap: 260

Outlet Diameter: 100



-  Rim Type: Rimless- Closed
-  Flushing System: Washdown
-  Soft Closing Door
-  Glazing Trap
-  Resistant to loads up to 400 kg
-  RGB FINISH
-  EN-997 Standard






آلتو | ALTO

ONE PIECE TOILET

Technical Information (mm)

S Trap: 260

Outlet Diameter: 100



Rim Type: Rimless- Closed



Flushing System: Washdown



Soft Closing Door



Glazing Trap



Resistant to loads up to 450 kg



RGB FINISH

EN-997 Standard




اورلاند | ORLAND

ONE PIECE TOILET

Technical Information (mm)

S Trap: 230

Outlet Diameter: 750



Flushing System: Siphonic



Rim Type: Tornado



Soft Closing Door



Glazing Trap



Resistant to loads up to 450 kg



EN-597 Standard




رومكس | RUMEX

WALL HUNG TOILET

Technical Information (mm)

Distance Between The Tow Fixing Holes : 230



-  Soft Closing Door
-  Glazing Trap
-  Low Consumption
-  Resistant to loads up to 400 kg
-  RGB (PVC)
EN-997 Standard




پلاتوس | PLAUTUS

WALL HUNG TOILET

Technical Information (mm)

Distance Between The Tow Fixing Holes : 180



Soft Closing Door



Glazing Trap



Low Consumption



Resistant to loads up to 400 kg



RGG Finish

EN-997 Standard




هليا | HELIA

WALL HUNG TOILET

Technical Information (mm)

Distance Between The Tow Fixing Holes : 180



Soft Closing Door



Glazing Trap



Low Consumption



Resistant to loads up to 400 kg



RGG (EN 997) Standard




یونیک | UNIQUE

WALL HUNG TOILET

Technical Information (mm)

Distance Between The Tow Fixing Holes : 180



Soft Closing Door



Glazing Trap



Low Consumption



Resistant to loads up to 400 kg



EN-997 Standard




پارمیس | PARMIS

WALL HUNG TOILET

Technical Information (mm)

Distance Between The Tow Fixing Holes : 180



Soft Closing Door



Glazing Trap



Low Consumption



Resistant to loads up to 400 kg



RGB finish
EN-997 Standard




کلین | CLEAN

WALL HUNG TOILET

Technical Information (mm)

Distance Between The Tow Fixing Holes : 230



Soft Closing Door



Glazing Trap



Low Consumption



Resistant to loads up to 400 kg



RGB (EN) EN-997 Standard






اورلاند | ORLAND

WALL HUNG TOILET

Technical Information (mm)

Distance Between The Tow Fixing Holes : 180



Soft Closing Door



Glazing Trap



Low Consumption



Resistant to loads up to 400 kg



RGB (RAL)
EN-997
Standard





پلاتوس ۴۷ | PLAUTUS 47

COUNTERTOP

Technical Information (mm)

Depth : 110






الگانت | ELEGANT

COUNTERTOP

Technical Information (mm)

Depth : 115







اوربیت | ORBIT

COUNTERTOP

Technical Information (mm)

Depth : 110






گلوری | GLORY

COUNTERTOP

Technical Information (mm)

Depth : 120






دایموند | DIAMOND

COUNTERTOP

Technical Information (mm)

Depth : 105








اورلاند | ORLAND

COUNTERTOP

Technical Information (mm)

Depth : 120






GL9 |

COUNTERTOP

Technical Information (mm)

Depth : 100



luminous




GL9 |

COUNTERTOP

Technical Information (mm)

Depth : 100




luminous



GL9 | 
COUNTERTOP

Technical Information (mm)

Depth : 100



luminous




رومنس | ROMANCE

COUNTERTOP

Technical Information (mm)

Depth : 95





جنووا | JENOVA

COUNTERTOP

Technical Information (mm)

Depth : 115








تورينو | TORINO

COUNTERTOP

Technical Information (mm)

Depth : 130






کلین | CLEAN

COUNTERTOP

Technical Information (mm)

Depth : 105






سالوين | SALVIN

COUNTERTOP

Technical Information (mm)

Depth : 110








GL8

COUNTERTOP

Technical Information (mm)

Depth : 140








رومینو | ROMINO

COUNTERTOP

Technical Information (mm)

Depth : 140








دانیکا | DANIKA

COUNTERTOP

Technical Information (mm)

Depth : 110








دورا | DORA

COUNTERTOP

Technical Information (mm)

Depth : 110






رومکس | RUMEX

COUNTERTOP

Technical Information (mm)

Depth : 110






گاترین | GATRIN

COUNTERTOP

Technical Information (mm)

Depth : 120






ديانا | DIANA

COUNTERTOP

Technical Information (mm)

Depth : 95








GL7

COUNTERTOP

Technical Information (mm)

Depth : 120






وینر | WINNER

COUNTERTOP

Technical Information (mm)

Depth : 125






۴۵ وینر | WINNER 45

COUNTERTOP

Technical Information (mm)

Depth : 125





GL10 | ○

COUNTERTOP

Technical Information (mm)

Depth : 85



luminous




GL10 |

COUNTERTOP

Technical Information (mm)

Depth : 85








مارانتا | MARANTA

WASH BASIN

Technical Information (mm)

Depth : 130





نیلوفر ۲۲ | NILOOFAR 22

EASTERN TOILET



Technical Information (mm)

Rimless

